

Interlink Electronics Wireless Presentation Tools

Take your presentations
virtually anywhere
with this wireless system.



FEATURES

- » Control a slide show, share a keyboard, or amplify a speaker.
- » Our most advanced slide show tool provides a maximum distance of 100 feet (30.5 m).
- » Use PowerPoint software's basics or try some of the advanced features of the RemotePoint devices.
- » Amplify a voice signal to reach up to 200 people in a conference room.

OVERVIEW

At home or around the globe, get high-tech wireless performance without requiring complicated hardware or software. Office presentation and meeting tasks are easy with these wireless presentation tools.

Whether you need to prepare a slide show, share a keyboard, or amplify a speaker, you can do it without messy or inconveniently placed cable.

Slide show tools offer maximum wireless distances of up to 100, 50, or 30 feet (30.5, 15.2, or 9.1 m).

Some remote models have a thumb mouse and/or a thumb drive. The thumb mouse allows easy movement of the mouse pointer on the presentation screen. The USB thumb drive lets you store presentations in its 32 MB of memory.

RemotePoint® Navigator 2.4

Need to expand the wireless range up to 50 feet (15.2 m)? Choose the RemotePoint Navigator 2.4. This comfortable, compact tool fits neatly in your hand. Raised icons identify options, even in the dark. And it operates with no line-of-sight configuration required. It's ideal for use with PowerPoint® applications. Plus, the Navigator's compatible with both PC and Mac® computers and connects via plug-and-play USB. Models are available for U.S. (VP4150) or Europe (VP4160).

The Navigator operates at 2.4-GHz frequency and does not have a thumb mouse or thumb drive.

Four operation buttons on the Navigator's remote control include Hide, Back, Laser, and Forward. Click on Hide when you need to hide your presentation, for example, when you want your audience to focus on you. Use Back to return to the previous slide during a presentation or Forward to advance to the next slide. The Laser button highlights your key points with the integrated laser.

Each Navigator shares a unique code with its receiver and communicates on four separate channels, so other remote controls won't interfere. So every slide will advance reliably, exactly when you command it to.

The RemotePoint Navigator 2.4 package includes a receiver, a remote, a USB extension cable, a carrying case, (2) AAA batteries, and a users' guide.

RemotePoint Global Presenter

The RemotePoint Global Presenter operates at 2.4-GHz frequency at distances of up to 100 feet (30.5 m). It features a patented ClickTrigger, laser pointer, and thumb mouse. (The ClickTrigger is an ergonomically designed button on the bottom of the handheld remote used for easy clicking through the presentation.)

The Global Presenter uses powerful RF technology. It has a remote with raised icons and specialized software with 95 special-effect tools

that help you customize your presentations.

Compatible with PowerPoint software, the Global Presenter streamlines your office slide presentations.

Seven operation buttons on the remote include Mouse Control (access pointing or pen tools), Previous Slide, Laser Pointer, Next Slide, Hide/Reveal Slide, Slide Show, and ClickTrigger.

The Global Presenter's USB receiver has no line-of-sight requirements, so you can move freely around the room. The receiver installs in any USB enabled computer. No drivers or software are required.

Choose the model for your country: U.S. (VP4350) or Europe (VP4360).

The RemotePoint Global Presenter package includes a receiver, a remote, a USB extension cable, a carrying case, (2) AAA batteries, and a users' guide.

RemotePoint Presenter

The RemotePoint Presenter is the most advanced presentation system of its kind. Like the RemotePoint Global Presenter, the RemotePoint Presenter uses its ClickTrigger, laser pointer, and thumb mouse to control presentations such as PowerPoint or other applications. However, this presentation tool operates at 900-MHz frequency at distances of up to 100 feet (30.5 m).

This model has all the features and functions of the RemotePoint Global Presenter, but what makes it really special is the USB thumb drive that plugs into the USB port on the receiver and boasts 32 MB of presentation storage space. You won't even need a computer since your presentations can be stored in the receiver's thumb drive.

The RemotePoint Presenter package includes a receiver, a remote, a USB extension cable, a carrying case, (2) AAA batteries, a presentation software CD-ROM, and a users' guide.

VersaPoint® RF Wireless Keyboard

This is a wireless RF keyboard with a range of up to 100 ft. (30.5 m). It uses 360° VersaPoint Pressure Pointing Technology via a large mouse button on the top right side and has an embedded numeric keypad. It also includes a second set of left-click buttons at the front of the keyboard. The ergonomically contoured keyboard comfortably fits in your hand, on your desk, or on your lap.

The keyboard includes an RF receiver with a 6-foot (1.8-m) cable. No special software drivers are required. Just plug the RF receiver directly into your PC.

The keyboard has a hot-pluggable USB connection and a large mouse button for 360° cursor control.

Use several keyboards simultaneously in the 900-MHz band without interference. Simply set the DIP switches in the battery compartment for up to 8 addresses for keyboard and receiver.

VersaPoint Communicator Remote

Control PowerPoint slide shows within 30 feet (9.1 m) of the computer in any direction with no line-of-sight required by using the VersaPoint Communicator Remote. It's a remote control and an RF receiver with a USB interface, and it operates at a frequency of 900 MHz.

The remote has five operation buttons: Launch Presentation, Forward Slide, Reverse Slide, Hide Slide, and Escape (for when the presentation is over).

You can even use up to a whopping 64 remotes in the same vicinity (within 30 feet [9.1 m] of each other) without interference! Simply set the DIP switches in each remote for one of 64 addresses. Realistically, however, you probably wouldn't ever use more than 5 remotes at once.

Typical applications include:

- Three people, each with a remote, controlling one screen and one presentation. In this case, you won't have to share the same remote.
- Three to five people (each with a remote) in different rooms (within 30 feet of each other) controlling three to five separate presentations.

The VersaPoint Communicator Remote works with Windows 98/98 SE/Me/XP and Windows 2000. No additional software is required.

VersaPoint Communicator 3-Pack Combo

The VersaPoint Communicator 3-Pack Combo consists of a PowerPoint compatible VersaPoint Communicator Remote (described on the previous page), a wireless RF receiver, a wireless keyboard, and a wireless optical wheel mouse. Simply plug in the USB receiver to point, type, and present—all without additional software. The remote, keyboard, and mouse can be up to 30 feet (9.1 m) away from the receiver in any direction (no line-of-sight required).

The wireless mouse features a precision optical sensor and a handy scroll wheel.

Or, share a wireless keyboard around a conference room with a 30° RF range at 900-MHz frequency. The keyboard has 104 standard keys, as well as hotkeys for Internet and multimedia applications. For your comfort, it's ergonomically designed, too, with elevation legs and a detachable palm rest.

A single receiver with a USB interface works with all three devices (remote, mouse, and keyboard).



VP4150

GoSpeak! Ultra-Portable Amplification System

Suppose you need to give a presentation in a large conference room. You might need an amplifier to carry your voice to everyone in the room. Choose the GoSpeak! Ultra-Portable Amplification System. The portable system is easy to set up and use, and provides clear, crisp, high volume.

It consists of a dual set of folding flat speakers with four operation buttons and three connectors. The operation buttons include Power On/Off, two volume controls (Line Volume and Master Volume), and Mute Sound. The connectors include Microphone In (3.5-mm), Line In for use with a PC or auxiliary audio, and Line Out for linking multiple speakers or attaching a recording device.

Using NXT SurfaceSound™ technology, the GoSpeak! Ultra-Portable Amplification System provides high-quality omnidirectional stereo sound and amplifies your voice to reach audiences of up to 200 people. Plus, it measures only 2.6" (6.6 cm) thick, weighs less than 5 pounds (2.3 kg) and fits neatly in a laptop bag, so it's slim, light, and easy to carry.

To set up the GoSpeak! system, simply unfold the speakers, plug in the power, and attach the microphone. You can even daisy-chain units.

Perfect for training sessions, seminars, keynote addresses, lectures, trade shows, speeches, corporate meetings, conventions, sermons, and community gatherings, the GoSpeak! Ultra-Portable Amplification System lets you reach your audience with style.



VP4300



VP6420



VP6410

TECH SPECS

RemotePoint Navigator 2.4 (VP4150, VP4160):

Operating Systems Supported — Windows 98/Me/XP, Windows 2000, Windows NT® (NT requires additional software); Mac 8.0 and higher

Remote:

Frequency — 2.4 GHz

Range — Up to 50 ft. (15.2 m)

Radio — 64,000 unique addresses, 4 channels

Laser — Class II Laser

Battery Life — 6 months, typical

Power — (2) AAA batteries, included

Size — 4"H x 2"W x 1"D (10.2 x 5.1 x 2.5 cm)

Weight — <0.5 lb. (0.2 kg)

Receiver:

Interface — USB

Power — 20 mA

Size — 3.5"H x 0.8"W x 0.1"D (8.9 x 2 x 0.3 cm)

Weight — <0.2 lb. (0.1 kg)

RemotePoint Global Presenter (VP4350, VP4360):

Frequency — 2.4 GHz

Laser — Class II

Operating Systems — Windows 98/Me/XP, Windows 2000

Radio — Unique personalized address

Range — 100 ft. (30.5 m)

Interface — USB

Power — (2) AAA batteries, included

Size — Remote: 4.3"H x 2.4"W x 1.5"D (10.9 x 6.1 x 3.8 cm);

Receiver: 3.9"H x 1"W x 0.6"D (9.9 x 2.5 x 1.5 cm)

Weight — Remote: <0.5 lb. (0.2 kg);

Receiver: <0.2 lb. (0.1 kg)

RemotePoint Presenter (VP4300):

Frequency — 900 MHz

Memory — 32 MB USB thumb drive

Laser — Class II

Operating Systems Supported — Windows 98/Me/XP, Windows 2000

Radio — Unique personalized address

Range — 100 ft. (30.5 m)

Interface — USB

Power — (2) AAA batteries (included)

Size — Remote: 4.3"H x 2.4"W x 1.5"D (10.9 x 6.1 x 3.8 cm);

Receiver: 3.9"H x 1"W x 0.6"D (9.9 x 2.5 x 1.5 cm)

Weight — Remote: <0.5 lb. (0.2 kg); Receiver: <0.2 lb. (0.1 kg)

RF Keyboard:

Approvals — FCC Part 15, Class B & Subpart C; Industry Canada

System Requirements — IBM or compatible PC running Windows 98/Me/XP or Windows 2000 with available USB port and 5 MB available storage

Number of Keys — 88

Radio Frequency — 916 MHz (U.S.) with (8) RF addresses (adjustable via DIP switches in battery compartment)

Mouse Cursor — VersaPoint

Pressure Pointing Technology

Range (Maximum) — Up to 100 ft. (30.5 m), typical

Angle — Omnidirectional

Battery Life — Up to 6 months

Interface — Broadbeam RF

Temperature Tolerance

— Operating: 50 to 122°F (10 to 50°C);

Storage: -13 to +158°F (-25 to +70°C)

Power — (4) AA batteries (included)

Size — 1.7"H x 15.3"W x 7"D (4.3 x 38.9 x 17.8 cm)

Weight — 1.5 lb. (0.7 kg)

Receiver:

Address — Up to 8 set via DIP switches

Cable Length — 6 ft. (1.8 m)

Interface — Omnidirectional

Connector — USB

Power — 5 VDC via USB port

Size — 3"H x 3"W x 1"D (7.6 x 7.6 x 2.5 cm);

Antenna: 3.9"H (9.9 cm) articulating

VersaPoint Communicator

Remote (VP6420):

Radio Frequency — 900 MHz (U.S.)

Range (Maximum) — 30 ft. (9.1 m), typical

System Requirements — PC running Windows 98/Me/XP or Windows 2000 with USB 1.1 or 2.0 capabilities and Microsoft PowerPoint software

Battery Life — 3 months, typical

Power — (1) 3-V battery

Size — 3.5"H x 1.5"W x 0.8"D (8.9 x 3.8 x 2 cm)

Weight — 0.1 lb. (<0.1 kg)

VersaPoint Communicator 3-Pack Combo (VP6410):

Remote:

Radio Frequency — 900 MHz (U.S.)

Range (Maximum) — 30 ft. (9.1 m), typical

System Requirements — PC running Windows 98/Me/XP or Windows 2000 with USB 1.1 or 2.0 capabilities and Microsoft PowerPoint software

Battery Life — 3 months, typical

Power — (1) 3-V battery

Size — 3.5"H x 1.5"W x 0.8"D (8.9 x 3.8 x 2 cm)

Weight — 0.1 lb. (<0.1 kg)

Keyboard:

Keyboard Keys — Standard: 64;

Shortcut: 17

Radio Frequency — 900 MHz

Range (Maximum) — 30 ft. (9.1 m), typical

System Requirements

— PC running Windows 98/Me/XP or Windows 2000 with USB 1.1 or 2.0 capabilities and Microsoft PowerPoint software

Battery Life — 6 months, typical

Power — (2) AA batteries

Size — 1.5"H x 18.5"W x 7.3"D (3.8 x 47 x 18.5 cm)

Weight — 0.8 lb. (0.4 kg)

Mouse:

Position Sensor — Optical

Battery Life — 6 months, typical

Power — (2) AAA batteries

Size — 1.25"H x 2"W x 3.8"D (3.2 x 5.1 x 9.7 cm)

Weight — 0.2 lb. (0.1 kg)

Receiver:

Frequency — 900-MHz RF

RF Range — Up to 30 ft. (9.1 m)

Device IDs — 64 unique

Interface — USB

Size — 3.75"H x 0.75"W x 0.375"D (9.5 x 1.9 x 1 cm)

Weight — 0.3 oz. (8.5 g)

GoSpeak! Ultra-Portable Amplification System (VP3300):

Controls — Power on/off, mute, master volume, line volume

Frequency Response — 100 Hz to 10 kHz

Input Impedance — 50 K ohm

Line-In Sensitivity — 1 Vp-p

Input Sensitivity — -55 db ±2 db (0 db = 1 V/pa)

Speaker Output — 2 x 20 watts per channel

Connectors —

Microphone: (1) 3.5-mm F;

Stereo Line: Input: (1) 3.5-mm F;

Output: (1) 3.5-mm F

Power — 100–240 VAC to 14 VDC

Size — 8.7"H x 13.4"W x 2.6"D (22.1 x 34 x 6.6 cm)

Weight — 4.8 lb. (2.2 kg)

Item

Code

Interlink Electronics Wireless Presentation Tools

RemotePoint Navigator 2.4

U.S.

VP4150

Europe

VP4160

RemotePoint Global Presenter

U.S.

VP4350

Europe

VP4360

RemotePoint Presenter

VP4300

VersaPoint Communicator Remote

VP6420

VersaPoint Communicator 3-Pack Combo

VP6410

GoSpeak! Ultra-Portable Amplification System

VP3300